
rowan Documentation

Release 1.2.0

Vyas Ramasubramani

Feb 12, 2019

Modules:

1	rowan	3
2	calculus	13
3	geometry	15
4	interpolate	19
5	mapping	21
6	random	25
7	Development Guide	27
7.1	Philosophy	27
7.2	Source Code Conventions	28
7.3	Unit Tests	28
7.4	General Notes	28
7.5	Release Guide	29
8	License	31
9	Changelog	33
9.1	Unreleased	33
9.2	v1.2.0 - 2019-02-12	33
9.3	v1.1.7 - 2019-01-23	33
9.4	v1.1.6 - 2018-10-18	33
9.5	v1.1.5 - 2018-10-18	34
9.6	v1.1.4 - 2018-10-18	34
9.7	v1.1.3 - 2018-10-18	34
9.8	v1.1.2 - 2018-10-18	34
9.9	v1.1.1 - 2018-10-18	34
9.10	v1.1.0 - 2018-07-30	35
9.11	v1.0.0 - 2018-05-29	35
9.12	v0.6.1 - 2018-04-20	35
9.13	v0.6.0 - 2018-04-20	35
9.14	v0.5.1 - 2018-04-13	36
9.15	v0.5.0 - 2018-04-12	36
9.16	v0.4.4 - 2018-04-10	36

9.17	v0.4.3 - 2018-04-10	36
9.18	v0.4.2 - 2018-04-09	36
9.19	v0.4.1 - 2018-04-08	37
9.20	v0.4.0 - 2018-04-08	37
9.21	v0.3.0 - 2018-03-31	37
9.22	v0.2.0 - 2018-03-08	37
9.23	v0.1.0 - 2018-02-26	38
10	Credits	39
11	Getting Started	41
11.1	Requirements	41
11.2	Installation	41
11.3	Quickstart	41
11.4	Running Tests	42
11.5	Running Benchmarks	42
11.6	Building Documentation	42
12	Support and Contribution	45
13	Indices and tables	47
	Bibliography	49
	Python Module Index	51

- *Getting Started*
 - *Requirements*
 - *Installation*
 - *Quickstart*
 - *Running Tests*
 - *Running Benchmarks*
 - *Building Documentation*
- *Support and Contribution*
- *Indices and tables*

Welcome to the documentation for rowan, a package for working with quaternions! Quaternions, which form a number system with various interesting properties, were originally developed for classical mechanics. Although they have since been largely displaced from this application by vector mathematics, they have become a standard method of representing rotations in three dimensions. Quaternions are now commonly used for this purpose in various fields, including computer graphics and attitude control.

This package provides tools for standard algebraic operations on quaternions as well as a number of additional tools for *e.g.* measuring distances between quaternions, interpolating between them, and performing basic point-cloud mapping. A particular focus of the rowan package is working with unit quaternions, which are a popular means of representing rotations in 3D. In order to provide a unified framework for working with the various rotation formalisms in 3D, rowan allows easy interconversion between these formalisms.

Core features of rowan include (but are not limited to):

- Algebra (multiplication, exponentiation, etc).
- Derivatives and integrals of quaternions.
- Rotation and reflection operations, with conversions to and from matrices, axis angles, etc.
- Various distance metrics for quaternions.
- Basic point set registration, including solutions of the Procrustes problem and the Iterative Closest Point algorithm.
- Quaternion interpolation (slerp, squad).

Overview

<i>rowan.conjugate</i>	Conjugates an array of quaternions.
<i>rowan.inverse</i>	Computes the inverse of an array of quaternions.
<i>rowan.exp</i>	Computes the natural exponential function e^q .
<i>rowan.expb</i>	Computes the exponential function b^q .
<i>rowan.exp10</i>	Computes the exponential function 10^q .
<i>rowan.log</i>	Computes the quaternion natural logarithm.
<i>rowan.logb</i>	Computes the quaternion logarithm to some base b.
<i>rowan.log10</i>	Computes the quaternion logarithm base 10.
<i>rowan.multiply</i>	Multiplies two arrays of quaternions.
<i>rowan.divide</i>	Divides two arrays of quaternions.
<i>rowan.norm</i>	Compute the quaternion norm.
<i>rowan.normalize</i>	Normalize quaternions.
<i>rowan.rotate</i>	Rotate a list of vectors by a corresponding set of quaternions.
<i>rowan.vector_vector_rotation</i>	Find the quaternion to rotate one vector onto another.
<i>rowan.from_euler</i>	Convert Euler angles to quaternions.
<i>rowan.to_euler</i>	Convert quaternions to Euler angles.
<i>rowan.from_matrix</i>	Convert the rotation matrices mat to quaternions.
<i>rowan.to_matrix</i>	Convert quaternions into rotation matrices.
<i>rowan.from_axis_angle</i>	Find quaternions to rotate a specified angle about a specified axis.
<i>rowan.to_axis_angle</i>	Convert the quaternions in q to axis angle representations.
<i>rowan.from_mirror_plane</i>	Generate quaternions from mirror plane equations.
<i>rowan.reflect</i>	Reflect a list of vectors by a corresponding set of quaternions.
<i>rowan.equal</i>	Check whether two sets of quaternions are equal.

Continued on next page

Table 1 – continued from previous page

<code>rowan.not_equal</code>	Check whether two sets of quaternions are not equal.
<code>rowan.isfinite</code>	Test element-wise for finite quaternions.
<code>rowan.isinf</code>	Test element-wise for infinite quaternions.
<code>rowan.isnan</code>	Test element-wise for NaN quaternions.

Details

The core `rowan` package contains functions for operating on quaternions. The core package is focused on robust implementations of key functions like multiplication, exponentiation, norms, and others. Simple functionality such as addition is inherited directly from NumPy due to the representation of quaternions as NumPy arrays. Many core NumPy functions implemented for normal arrays are reimplemented to work on quaternions (such as `allclose()` and `isfinite()`). Additionally, NumPy broadcasting is enabled throughout rowan unless otherwise specified. This means that any function of 2 (or more) quaternions can take arrays of shapes that do not match and return results according to NumPy's broadcasting rules.

`rowan.allclose` ($p, q, **kwargs$)

Check whether two sets of quaternions are all close.

This is a direct wrapper of the corresponding NumPy function.

Parameters

- \mathbf{p} ($(\dots, 4)$ `np.array`) – First array of quaternions.
- \mathbf{q} ($(\dots, 4)$ `np.array`) – Second array of quaternions.
- ****kwargs** – Keyword arguments to pass to `np.allclose`.

Returns Boolean indicating whether or not all quaternions are close.

Example:

```
rowan.allclose([1, 0, 0, 0], [1, 0, 0, 0])
```

`rowan.conjugate` (q)

Conjugates an array of quaternions.

Parameters \mathbf{q} ($(\dots, 4)$ `np.array`) – Array of quaternions.

Returns Array of shape (\dots) containing conjugates of q .

Example:

```
q_star = rowan.conjugate([1, 0, 0, 0])
```

`rowan.divide` (qi, qj)

Divides two arrays of quaternions.

Division is non-commutative; this function returns $q_i q_j^{-1}$.

Parameters

- \mathbf{qi} ($(\dots, 4)$ `np.array`) – Dividend quaternions.
- \mathbf{qj} ($(\dots, 4)$ `np.array`) – Divisor quaternions.

Returns Array of shape (\dots) containing element-wise quotients of qi and qj .

Example:

```
quot = rowan.divide([1, 0, 0, 0], [2, 0, 0, 0])
```

`rowan.exp(q)`

Computes the natural exponential function e^q .

The exponential of a quaternion in terms of its scalar and vector parts $q = a + v$ is defined by exponential power series: formula $e^x = \sum_{k=0}^{\infty} \frac{x^k}{k!}$ as follows:

$$\begin{aligned} e^q &= e^{a+v} \\ &= e^a \left(\sum_{k=0}^{\infty} \frac{v^k}{k!} \right) \\ &= e^a \left(\cos\|v\| + \frac{v}{\|v\|} \sin\|v\| \right) \end{aligned} \tag{1.1}$$

Parameters `q((.., 4) np.array)` – Array of quaternions.

Returns Array of shape (...) containing exponentials of q.

Example:

```
q_exp = rowan.exp([1, 0, 0, 0])
```

`rowan.expb(q, b)`

Computes the exponential function b^q .

We define the exponential of a quaternion to an arbitrary base relative to the exponential function e^q using the change of base formula as follows:

$$\begin{aligned} b^q &= y \\ q &= \log_b y = \frac{\ln y}{\ln b} \\ y &= e^{q \ln b} \end{aligned} \tag{1.4}$$

Parameters `q((.., 4) np.array)` – Array of quaternions.

Returns Array of shape (...) containing exponentials of q.

Example:

```
q_exp = rowan.expb([1, 0, 0, 0], 2)
```

`rowan.exp10(q)`

Computes the exponential function 10^q .

Wrapper around `expb()`.

Parameters `q((.., 4) np.array)` – Array of quaternions.

Returns Array of shape (...) containing exponentials of q.

Example:

```
q_exp = rowan.exp10([1, 0, 0, 0])
```

`rowan.equal(p, q)`

Check whether two sets of quaternions are equal.

This function is a simple wrapper that checks array equality and then aggregates along the quaternion axis.

Parameters

- **p**((.., 4) *np.array*) – First array of quaternions.
- **q**((.., 4) *np.array*) – Second array of quaternions.

Returns A boolean array of shape (...) indicating equality.

Example:

```
rowan.equal([1, 0, 0, 0], [1, 0, 0, 0])
```

rowan.from_axis_angle(*axes, angles*)

Find quaternions to rotate a specified angle about a specified axis.

Parameters

- **axes**((.., 3) *np.array*) – An array of vectors (the axes).
- **angles**(*float or (.., 1) np.array*) – An array of angles in radians. Will be broadcast to match shape of *v* as needed.

Returns Array of shape (... , 4) containing the corresponding rotation quaternions.

Example:

```
quat = rowan.from_axis_angle([[1, 0, 0]], np.pi/3)
```

rowan.from_euler(*alpha, beta, gamma, convention='zyx', axis_type='intrinsic'*)

Convert Euler angles to quaternions.

For generality, the rotations are computed by composing a sequence of quaternions corresponding to axis-angle rotations. While more efficient implementations are possible, this method was chosen to prioritize flexibility since it works for essentially arbitrary Euler angles as long as intrinsic and extrinsic rotations are not intermixed.

Parameters

- **alpha**((..) *np.array*) – Array of α values in radians.
- **beta**((..) *np.array*) – Array of β values in radians.
- **gamma**((..) *np.array*) – Array of γ values in radians.
- **convention**(*str*) – One of the 12 valid conventions *xzx*, *xyx*, *xyy*, *zyz*, *zyz*, *zxz*, *xzy*, *xyz*, *yxz*, *yzx*, *zyx*, *zxy*.
- **axes**(*str*) – Whether to use extrinsic or intrinsic rotations.

Returns Array of shape (... , 4) containing quaternions corresponding to the input angles.

Example:

```
q1 = rowan.from_euler(0.3, 0.5, 0.7)
```

rowan.from_matrix(*mat, require_orthogonal=True*)

Convert the rotation matrices *mat* to quaternions.

This method uses the algorithm described by Bar-Itzhack in [Itzhack00]. The idea is to construct a matrix *K* whose largest eigenvalue corresponds to the desired quaternion. One of the strengths of the algorithm is that for nonorthogonal matrices it gives the closest quaternion representation rather than failing outright.

Parameters **mat**((.., 3, 3) *np.array*) – An array of rotation matrices.

Returns Array of shape (... , 4) containing the corresponding rotation quaternions.

Example:

```
q1 = rowan.from_matrix([[1, 0, 0], [0, 1, 0], [0, 0, 1]])
```

`rowan.from_mirror_plane` (x, y, z)

Generate quaternions from mirror plane equations.

Reflection quaternions can be constructed from the form $(0, x, y, z)$, *i.e.* with zero real component. The vector (x, y, z) is the normal to the mirror plane.

Parameters

- **x** ($(..)$ `np.array`) – First planar component.
- **y** ($(..)$ `np.array`) – Second planar component.
- **z** ($(..)$ `np.array`) – Third planar component.

Returns Array of shape $(..)$ containing quaternions reflecting about the input plane (x, y, z) .

Example:

```
quat_ref = rowan.from_mirror_plane*(1, 2, 3)
```

`rowan.inverse` (q)

Computes the inverse of an array of quaternions.

Parameters **q** ($(.., 4)$ `np.array`) – Array of quaternions.

Returns Array of shape $(..)$ containing inverses of q .

Example:

```
q_inv = rowan.inverse([1, 0, 0, 0])
```

`rowan.isclose` ($p, q, **kwargs$)

Element-wise check of whether two sets of quaternions are close.

This function is a simple wrapper that checks using the corresponding NumPy function and then aggregates along the quaternion axis.

Parameters

- **p** ($(.., 4)$ `np.array`) – First array of quaternions.
- **q** ($(.., 4)$ `np.array`) – Second array of quaternions.
- ****kwargs** – Keyword arguments to pass to `np.isclose`.

Returns A boolean array of shape $(..)$ indicating which quaternions are close.

Example:

```
rowan.allclose([[1, 0, 0, 0]], [[1, 0, 0, 0]])
```

`rowan.isinf` (q)

Test element-wise for infinite quaternions.

A quaternion is defined as infinite if any elements are infinite.

Parameters **q** ($(.., 4)$ `np.array`) – Array of quaternions

Returns A boolean array of shape $(..)$ indicating infinite quaternions.

Example:

```
import numpy as np
rowan.isinf([np.nan, 0, 0, 0])
```

`rowan.isfinite(q)`

Test element-wise for finite quaternions.

A quaternion is defined as finite if all elements are finite.

Parameters `q((.., 4) np.array)` – Array of quaternions.

Returns A boolean array of shape `(..)` indicating finite quaternions.

Example:

```
rowan.isfinite([1, 0, 0, 0])
```

`rowan.isnan(q)`

Test element-wise for NaN quaternions.

A quaternion is defined as NaN if any elements are NaN.

Parameters `q((.., 4) np.array)` – Array of quaternions.

Returns A boolean array of shape `(..)` indicating whether or not the input quaternions were NaN.

Example:

```
import numpy as np
rowan.isnan([np.nan, 0, 0, 0])
```

`rowan.is_unit(q)`

Check if all input quaternions have unit norm.

Parameters `q((.., 4) np.array)` – Array of quaternions.

Returns Whether or not all inputs are unit quaternions

Return type bool

Example:

```
rowan.is_unit([10, 0, 0, 0])
```

`rowan.log(q)`

Computes the quaternion natural logarithm.

The natural of a quaternion in terms of its scalar and vector parts $q = a + v$ is defined by inverting the exponential formula (see `exp()`), and is defined by the formula $\frac{x^k}{k!}$ as follows:

$$\ln(q) = \ln\|q\| + \frac{v}{\|v\|} \arccos\left(\frac{a}{q}\right) \quad (1.7)$$

Parameters `q((.., 4) np.array)` – Array of quaternions.

Returns Array of shape `(..)` containing logarithms of `q`.

Example:

```
ln_q = rowan.log([1, 0, 0, 0])
```

`rowan.logb(q, b)`

Computes the quaternion logarithm to some base b.

The quaternion logarithm for arbitrary bases is defined using the standard change of basis formula relative to the natural logarithm.

$$\begin{aligned} \log_b q &= y & (1.8) \\ q &\in \mathbb{H} \\ \ln q &= (y, 1, 0) \\ y &= \log_b q = \frac{\ln q}{\ln b} \end{aligned}$$

Parameters

- **q** (`(..., 4) np.array`) – Array of quaternions.
- **n** (`(...) np.array`) – Scalars to use as log bases.

Returns Array of shape (...) containing logarithms of q.

Example:

```
log2_q = rowan.logb([1, 0, 0, 0], 2)
```

`rowan.log10(q)`

Computes the quaternion logarithm base 10.

Wrapper around `logb()`.

Parameters **q** (`(..., 4) np.array`) – Array of quaternions.

Returns Array of shape (...) containing logarithms of q.

Example:

```
log10_q = rowan.log10([1, 0, 0, 0])
```

`rowan.multiply(qi, qj)`

Multiplies two arrays of quaternions.

Note that quaternion multiplication is generally non-commutative, so the first and second set of quaternions must be passed in the correct order.

Parameters

- **qi** (`(..., 4) np.array`) – Array of left quaternions.
- **qj** (`(..., 4) np.array`) – Array of right quaternions.

Returns Array of shape (...) containing element-wise products of q.

Example:

```
prod = rowan.multiply([1, 0, 0, 0], [2, 0, 0, 0])
```

`rowan.norm(q)`

Compute the quaternion norm.

Parameters **q** (`(..., 4) np.array`) – Array of quaternions.

Returns Array of shape (...) containing norms of q.

Example:

```
norms = rowan.norm([10, 0, 0, 0])
```

`rowan.normalize` (*q*)

Normalize quaternions.

Parameters *q* (*(..., 4) np.array*) – Array of quaternions.

Returns Array of shape (...) of normalized quaternions.

Example:

```
u = rowan.normalize([10, 0, 0, 0])
```

`rowan.not_equal` (*p*, *q*)

Check whether two sets of quaternions are not equal.

This function is a simple wrapper that checks array equality and then aggregates along the quaternion axis.

Parameters

- *p* (*(..., 4) np.array*) – First array of quaternions.
- *q* (*(..., 4) np.array*) – Second array of quaternions.

Returns A boolean array of shape (...) indicating inequality.

Example:

```
rowan.not_equal([-1, 0, 0, 0], [1, 0, 0, 0])
```

`rowan.power` (*q*, *n*)

Computes the power of a quaternion q^n .

Quaternions raised to a scalar power are defined according to the polar decomposition angle θ and vector \hat{u} : $q^n = \|q\|^n (\cos(n\theta) + \hat{u} \sin(n\theta))$. However, this can be computed more efficiently by noting that $q^n = \exp(n \ln(q))$.

Parameters

- *q* (*(..., 4) np.array*) – Array of quaternions.
- *n* (*(...) np.array*) – Scalars to exponentiate quaternions with.

Returns Array of shape (...) containing powers of *q*.

Example:

```
q_5 = rowan.power([1, 0, 0, 0], 5)
```

`rowan.reflect` (*q*, *v*)

Reflect a list of vectors by a corresponding set of quaternions.

For help constructing a mirror plane, see `from_mirror_plane()`.

Parameters

- *q* (*(..., 4) np.array*) – Array of quaternions.
- *v* (*(..., 3) np.array*) – Array of vectors.

Returns Array of shape (... , 3) containing reflections of *v*.

Example:

```
v_reflected = rowan.reflect([1, 0, 0, 0], [1, 1, 1])
```

`rowan.rotate`(*q*, *v*)

Rotate a list of vectors by a corresponding set of quaternions.

Parameters

- **q**(*(..., 4)* *np.array*) – Array of quaternions.
- **v**(*(..., 3)* *np.array*) – Array of vectors.

Returns Array of shape *(..., 3)* containing rotations of *v*.

Example:

```
v_rot = rowan.reflect([1, 0, 0, 0], [1, 1, 1])
```

`rowan.to_axis_angle`(*q*)

Convert the quaternions in *q* to axis angle representations.

Parameters **q**(*(..., 4)* *np.array*) – An array of quaternions.

Returns A tuple of *np.array*s (axes, angles) where axes has shape *(...,3)* and angles has shape *(...,1)*. The angles are in radians.

Example:

```
quat = rowan.to_axis_angle([[1, 0, 0, 0]])
```

`rowan.to_euler`(*q*, *convention='zyx'*, *axis_type='intrinsic'*)

Convert quaternions to Euler angles.

Euler angles are returned in the sequence provided, so in, *e.g.*, the default case ('zyx'), the angles returned are for a rotation $Z(\alpha)Y(\beta)X(\gamma)$.

Note: In all cases, the α and γ angles are between $\pm\pi$. For proper Euler angles, β is between 0 and π degrees. For Tait-Bryan angles, β lies between $\pm\pi/2$.

For simplicity, quaternions are converted to matrices, which are then converted to their Euler angle representations. All equations for rotations are derived by considering compositions of the three elemental rotations about the three Cartesian axes:

$$R_x(\theta) = \begin{pmatrix} 1 & 0 & 0 \\ 0 & \cos \theta & -\sin \theta \\ 0 & \sin \theta & \cos \theta \end{pmatrix}$$

$$R_y(\theta) = \begin{pmatrix} \cos \theta & 0 & \sin \theta \\ 0 & 1 & 0 \\ -\sin \theta & 0 & \cos \theta \end{pmatrix}$$

$$R_z(\theta) = \begin{pmatrix} \cos \theta & -\sin \theta & 0 \\ \sin \theta & \cos \theta & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

Extrinsic rotations are represented by matrix multiplications in the proper order, so $z - y - x$ is represented by the multiplication XYZ so that the system is rotated first about Z , then about Y , then finally X . For intrinsic rotations, the order of rotations is reversed, meaning that it matches the order in which the matrices actually appear *i.e.* the $z - y' - x''$ convention (yaw, pitch, roll) corresponds to the multiplication of matrices ZYX . For

proof of the relationship between intrinsic and extrinsic rotations, see the [Wikipedia page on Davenport chained rotations](#).

For more information, see the Wikipedia page for [Euler angles](#) (specifically the section on converting between representations).

Parameters

- **q** $((\dots, 4) \text{ np.array})$ – Quaternions to transform.
- **convention** (str) – One of the 6 valid conventions $zxz, xyx, yzy, yz, xzx, yxy$.
- **axes** (str) – Whether to use extrinsic or intrinsic.

Returns $math:(alpha, beta, gamma)$ as the last dimension (in radians).

Return type Array of shape $(\dots, 3)$ containing Euler angles

Example:

```
import numpy as np
rands = np.random.rand(100, 3)
alpha, beta, gamma = rands.T
ql = rowan.from_euler(alpha, beta, gamma)
alpha_return, beta_return, gamma_return = np.split(
    rowan.to_euler(ql), 3, axis = 1)
assert(np.allclose(alpha_return.flatten(), alpha))
assert(np.allclose(beta_return.flatten(), beta))
assert(np.allclose(gamma_return.flatten(), gamma))
```

`rowan.to_matrix(q, require_unit=True)`

Convert quaternions into rotation matrices.

Uses the conversion described on [Wikipedia](#).

Parameters **q** $((\dots, 4) \text{ np.array})$ – An array of quaternions.

Returns Array of shape $(\dots, 3, 3)$ containing the corresponding rotation matrices.

Example:

```
ql = rowan.to_matrix([1, 0, 0, 0])
```

`rowan.vector_vector_rotation(v1, v2)`

Find the quaternion to rotate one vector onto another.

Parameters

- **v1** $((\dots, 3) \text{ np.array})$ – Array of vectors to rotate.
- **v2** $((\dots, 3) \text{ np.array})$ – Array of vector to rotate onto.

Returns Array of shape $(\dots, 4)$ containing quaternions that rotate $v1$ onto $v2$.

Example:

```
q_rot = rowan.vector_vector_rotation([1, 0, 0], [0, 1, 0])
```

Overview

<code>rowan.calculus.derivative</code>	Compute the instantaneous derivative of unit quaternions, which is defined as
<code>rowan.calculus.integrate</code>	Integrate unit quaternions by angular velocity using the following equation:

Details

This subpackage provides the ability to compute the derivative and integral of a quaternion.

`rowan.calculus.derivative` (q, v)

Compute the instantaneous derivative of unit quaternions, which is defined as

$$\dot{q} = \frac{1}{2} \mathbf{v}q$$

A derivation is provided [here](#). For a more thorough explanation, see [this page](#).

Parameters

- \mathbf{q} ($(\dots, 4)$ `np.array`) – Array of quaternions.
- \mathbf{v} ($(\dots, 3)$ `np.array`) – Array of angular velocities.

Returns Array of shape $(\dots, 4)$ containing element-wise derivatives of q .

Example:

```
q_prime = rowan.calculus.derivative([1, 0, 0, 0], [1, 0, 0])
```

`rowan.calculus.integrate` (q, v, dt)

Integrate unit quaternions by angular velocity using the following equation:

$$\dot{q} = \exp\left(\frac{1}{2} \mathbf{v}dt\right) q$$

Note that this formula uses the [quaternion exponential](#), so the argument to the exponential (which appears to be a vector) is promoted to a quaternion with scalar part 0 before the exponential is taken. A concise derivation is provided in [this paper](#). This [webpage](#) contains a more thorough explanation.

Parameters

- \mathbf{q} ($(\dots, 4)$ *np.array*) – Array of quaternions.
- \mathbf{v} ($(\dots, 3)$ *np.array*) – Array of angular velocities.
- \mathbf{dt} ((\dots) *np.array*) – Array of timesteps.

Returns Array of shape $(\dots, 4)$ containing element-wise integrals of \mathbf{q} .

Example:

```
v_next = rowan.calculus.integrate([1, 0, 0, 0], [0, 0, 1e-2], 1)
```

Overview

<code>rowan.geometry.distance</code>	Determine the distance between quaternions p and q.
<code>rowan.geometry.sym_distance</code>	Determine the distance between quaternions p and q.
<code>rowan.geometry.riemann_exp_map</code>	Compute the exponential map on the Riemannian manifold \mathbb{H}^* of nonzero quaternions.
<code>rowan.geometry.riemann_log_map</code>	Compute the log map on the Riemannian manifold \mathbb{H}^* of nonzero quaternions.
<code>rowan.geometry.intrinsic_distance</code>	Compute the intrinsic distance between quaternions on the manifold of quaternions.
<code>rowan.geometry.sym_intrinsic_distance</code>	Compute the intrinsic distance between quaternions on the manifold of quaternions.
<code>rowan.geometry.angle</code>	Compute the angle of rotation of a quaternion.

Details

This subpackage provides various tools for working with the geometric representation of quaternions. A particular focus is computing the distance between quaternions. These distance computations can be complicated, particularly good metrics for distance on the Riemannian manifold representing quaternions do not necessarily coincide with good metrics for similarities between rotations. An overview of distance measurements can be found in [this paper](#).

`rowan.geometry.distance` (p, q)

Determine the distance between quaternions p and q.

This is the most basic distance that can be defined on the space of quaternions; it is the metric induced by the norm on this vector space $\rho(p, q) = \|p - q\|$.

When applied to unit quaternions, this function produces values in the range $[0, 2]$.

Parameters

- **p** ($(\dots, 4)$ `np.array`) – First array of quaternions.

- $\mathbf{q}((\dots, 4) \text{ np.array})$ – Second array of quaternions.

Returns Array of shape (\dots) containing the element-wise distances between the two sets of quaternions.

Example:

```
rowan.geometry.distance([1, 0, 0, 0], [1, 0, 0, 0])
```

`rowan.geometry.sym_distance(p, q)`

Determine the distance between quaternions p and q .

This is a symmetrized version of `distance()` that accounts for the fact that p and $-p$ represent identical rotations. This makes it a useful measure of rotation similarity.

Parameters

- $\mathbf{p}((\dots, 4) \text{ np.array})$ – First array of quaternions.
- $\mathbf{q}((\dots, 4) \text{ np.array})$ – Second array of quaternions.

When applied to unit quaternions, this function produces values in the range $[0, \sqrt{2}]$.

Returns Array of shape (\dots) containing the element-wise symmetrized distances between the two sets of quaternions.

Example:

```
rowan.geometry.sym_distance([1, 0, 0, 0], [-1, 0, 0, 0])
```

`rowan.geometry.riemann_exp_map(p, v)`

Compute the exponential map on the Riemannian manifold \mathbb{H}^* of nonzero quaternions.

The nonzero quaternions form a Lie algebra \mathbb{H}^* that is also a Riemannian manifold. In general, given a point p on a Riemannian manifold \mathcal{M} and an element of the tangent space at p , $v \in T_p\mathcal{M}$, the Riemannian exponential map is defined by the geodesic starting at p and tracing out an arc of length v in the direction of v . This function computes the endpoint of that path (which is itself a quaternion).

Explicitly, we define the exponential map as

$$\text{Exp}_p(v) = p \exp(v) \quad (3.1)$$

Parameters

- $\mathbf{p}((\dots, 4) \text{ np.array})$ – Points on the manifold of quaternions.
- $\mathbf{v}((\dots, 4) \text{ np.array})$ – Tangent vectors to traverse.

Returns Array of shape $(\dots, 4)$ containing the endpoints of the geodesic starting from p and traveling a distance $\|v\|$ in the direction of v .

Example:

```
rowan.geometry.riemann_exp_map([1, 0, 0, 0], [-1, 0, 0, 0])
```

`rowan.geometry.riemann_log_map(p, q)`

Compute the log map on the Riemannian manifold \mathbb{H}^* of nonzero quaternions.

This function inverts `riemann_exp_map()`. See that function for more details. In brief, given two quaternions p and q , this method returns a third quaternion parameterizing the geodesic passing from p to q . It is therefore an important measure of the distance between the two input quaternions.

Parameters

- $\mathbf{p}(\dots, 4)$ `np.array` – Starting points (quaternions).
- $\mathbf{q}(\dots, 4)$ `np.array` – Endpoints (quaternions).

Returns Array of shape $(\dots, 4)$ containing quaternions pointing from p to q with magnitudes equal to the length of the geodesics joining these quaternions.

Example:

```
rowan.geometry.riemann_log_map([1, 0, 0, 0], [-1, 0, 0, 0])
```

`rowan.geometry.intrinsic_distance(p, q)`

Compute the intrinsic distance between quaternions on the manifold of quaternions.

The quaternion distance is determined as the length of the quaternion joining the two quaternions (see `riemann_log_map()`). Rather than computing this directly, however, as shown in [Huynh09] we can compute this distance using the following equivalence:

$$\|\log(pq^{-1})\| = 2 \cos(\langle p, q \rangle) \quad (3.2)$$

When applied to unit quaternions, this function produces values in the range $[0, \pi]$.

Parameters

- $\mathbf{p}(\dots, 4)$ `np.array` – First array of quaternions.
- $\mathbf{q}(\dots, 4)$ `np.array` – Second array of quaternions.

Returns Array of shape (\dots) containing the element-wise intrinsic distances between the two sets of quaternions.

Example:

```
rowan.geometry.intrinsic_distance([1, 0, 0, 0], [-1, 0, 0, 0])
```

`rowan.geometry.sym_intrinsic_distance(p, q)`

Compute the intrinsic distance between quaternions on the manifold of quaternions.

This is a symmetrized version of `intrinsic_distance()` that accounts for the double cover $SU(2) \rightarrow SO(3)$, making it a more useful metric for rotation similarity.

When applied to unit quaternions, this function produces values in the range $[0, \frac{\pi}{2}]$.

Parameters

- $\mathbf{p}(\dots, 4)$ `np.array` – First array of quaternions.
- $\mathbf{q}(\dots, 4)$ `np.array` – Second array of quaternions.

Returns Array of shape (\dots) containing the element-wise symmetrized intrinsic distances between the two sets of quaternions.

Example:

```
rowan.geometry.sym_intrinsic_distance([1, 0, 0, 0], [-1, 0, 0, 0])
```

`rowan.geometry.angle` (*p*)

Compute the angle of rotation of a quaternion.

Note that this is identical to `intrinsic_distance(p, np.array([1, 0, 0, 0]))`.

Parameters *p* (`(..., 4) np.array`) – Array of quaternions.

Returns Array of shape `(...)` containing the element-wise angles traced out by these rotations.

Example:

```
rowan.geometry.angle([1, 0, 0, 0])
```

Overview

<code>rowan.interpolate.slerp</code>	Spherical linear interpolation between p and q.
<code>rowan.interpolate.slerp_prime</code>	Compute the derivative of slerp.
<code>rowan.interpolate.squad</code>	Cubically interpolate between p and q.

Details

The rowan package provides a simple interface to slerp, the standard method of quaternion interpolation for two quaternions.

`rowan.interpolate.slerp(q0, q1, t, ensure_shortest=True)`
Spherical linear interpolation between p and q.

The slerp formula can be easily expressed in terms of the quaternion exponential (see `rowan.exp()`).

Parameters

- **q0** (`(..., 4) np.array`) – First array of quaternions.
- **q1** (`(..., 4) np.array`) – Second array of quaternions.
- **t** (`(...) np.array`) – Interpolation parameter $\in [0, 1]$
- **ensure_shortest** (`bool`) – Flip quaternions to ensure we traverse the geodesic in the shorter ($< 180^\circ$) direction.

Note: Given inputs such that $t \notin [0, 1]$, the values outside the range are simply assumed to be 0 or 1 (depending on which side of the interval they fall on).

Returns Array of shape `(..., 4)` containing the element-wise interpolations between p and q.

Example:

```
import numpy as np
q_slerp = rowan.interpolate.slerp(
    [[1, 0, 0, 0]], [[np.sqrt(2)/2, np.sqrt(2)/2, 0, 0]], 0.5)
```

`rowan.interpolate.slerp_prime(q0, q1, t, ensure_shortest=True)`

Compute the derivative of slerp.

Parameters

- **q0** (`(..., 4) np.array`) – First set of quaternions.
- **q1** (`(..., 4) np.array`) – Second set of quaternions.
- **t** (`(...) np.array`) – Interpolation parameter $\in [0, 1]$
- **ensure_shortest** (`bool`) – Flip quaternions to ensure we traverse the geodesic in the shorter ($< 180^\circ$) direction

Returns An array of shape `(..., 4)` containing the element-wise derivatives of interpolations between p and q.

Example:

```
import numpy as np
q_slerp_prime = rowan.interpolate.slerp_prime(
    [[1, 0, 0, 0]], [[np.sqrt(2)/2, np.sqrt(2)/2, 0, 0]], 0.5)
```

`rowan.interpolate.squad(p, a, b, q, t)`

Cubically interpolate between p and q.

The SQUAD formula is just a repeated application of Slerp between multiple quaternions as originally derived in [Shoemake85]:

$$\text{squad}(p, a, b, q, t) = \text{slerp}(p, q, t) (\text{slerp}(p, q, t)^{-1} \text{slerp}(a, b, t))^{2t(1-t)} \quad (4.1)$$

Parameters

- **p** (`(..., 4) np.array`) – First endpoint of interpolation.
- **a** (`(..., 4) np.array`) – First control point of interpolation.
- **b** (`(..., 4) np.array`) – Second control point of interpolation.
- **q** (`(..., 4) np.array`) – Second endpoint of interpolation.
- **t** (`(...) np.array`) – Interpolation parameter $t \in [0, 1]$.

Returns An array containing the element-wise interpolations between p and q.

Example:

```
import numpy as np
q_squad = rowan.interpolate.squad(
    [1, 0, 0, 0], [np.sqrt(2)/2, np.sqrt(2)/2, 0, 0],
    [0, np.sqrt(2)/2, np.sqrt(2)/2, 0],
    [0, 0, np.sqrt(2)/2, np.sqrt(2)/2], 0.5)
```

Overview

<code>rowan.mapping.kabsch</code>	Find the optimal rotation and translation to map between two sets of points.
<code>rowan.mapping.davenport</code>	Find the optimal rotation and translation to map between two sets of points.
<code>rowan.mapping.procrustes</code>	Solve the orthogonal Procrustes problem with algorithmic options.
<code>rowan.mapping.icp</code>	Find best mapping using the Iterative Closest Point algorithm.

Details

The general space of problems that this subpackage addresses is a small subset of the broader space of [point set registration](#), which attempts to optimally align two sets of points. In general, this mapping can be nonlinear. The restriction of this superposition to linear transformations composed of translation, rotation, and scaling is the study of Procrustes superposition, the first step in the field of [Procrustes analysis](#), which performs the superposition in order to compare two (or more) shapes.

If points in the two sets have a known correspondence, the problem is much simpler. Various precise formulations exist that admit analytical formulations, such as the [orthogonal Procrustes problem](#) searching for an orthogonal transformation

$$R = \operatorname{argmin}_{\Omega} \|\Omega A - B\|_F, \quad \Omega^T \Omega = \mathbb{1} \quad (5.1)$$

or, if a pure rotation is desired, Wahba's problem

$$\min_{\mathbf{R} \in SO(3)} \frac{1}{2} \sum_{k=1}^N a_k \|\mathbf{w}_k - \mathbf{R}\mathbf{v}_k\|^2 \quad (5.2)$$

Numerous algorithms to solve this problem exist, particularly in the field of aerospace engineering and robotics where this problem must be solved on embedded systems with limited processing. Since that constraint does not apply here, this package simply implements some of the most stable known methods irrespective of cost. In particular, this package contains the Kabsch algorithm, which solves Wahba's problem using an SVD in the vein of [Peter Schonemann's original solution](#) to the orthogonal Procrustes problem. Additionally this package contains the [Davenport q method](#), which works directly with quaternions. The most popular algorithms for Wahba's problem are variants of the q method that are faster at the cost of some stability; we omit these here.

In addition, `rowan.mapping` also includes some functionality for more general point set registration. If a point cloud has a set of known symmetries, these can be tested explicitly by `rowan.mapping` to find the smallest rotation required for optimal mapping. If no such correspondence is known at all, then the iterative closest point algorithm can be used to approximate the mapping.

`rowan.mapping.kabsch(X, Y, require_rotation=True)`

Find the optimal rotation and translation to map between two sets of points.

This function implements the [Kabsch algorithm](#), which minimizes the RMSD between two sets of points. One benefit of this approach is that the SVD works in dimensions > 3 .

Parameters

- **X** ((N, m) `np.array`) – First set of N points.
- **Y** ((N, m) `np.array`) – Second set of N points.
- **require_rotation** (`bool`) – If false, the returned quaternion.

Returns A tuple (R, t) where R is the (m x m) rotation matrix to rotate the points and t is the translation.

Example:

```
import numpy as np

# Create some random points, then make a random transformation of
# these points
points = np.random.rand(10, 3)
rotation = rowan.random.rand(1)
translation = np.random.rand(1, 3)
transformed_points = rowan.rotate(rotation, points) + translation

# Recover the rotation and check
R, t = rowan.mapping.kabsch(points, transformed_points)
q = rowan.from_matrix(R)

assert np.logical_or(
    np.allclose(rotation, q), np.allclose(rotation, -q))
assert np.allclose(translation, t)
```

`rowan.mapping.davenport(X, Y)`

Find the optimal rotation and translation to map between two sets of points.

This function implements the [Davenport q-method](#), the most robust method and basis of most modern solvers. It involves the construction of a particular matrix, the Davenport K-matrix, which is then diagonalized to find the appropriate eigenvalues. More modern algorithms aim to solve the characteristic equation directly rather than diagonalizing, which can provide speed benefits at the potential cost of robustness. The implementation in rowan does not do this, instead simply computing the spectral decomposition.

Parameters

- **X** ($(N, 3)$ *np.array*) – First set of N points.
- **Y** ($(N, 3)$ *np.array*) – Second set of N points.

Returns A tuple (q, t) where q is the quaternion to rotate the points and t is the translation.

Example:

```
import numpy as np

# Create some random points, then make a random transformation of
# these points
points = np.random.rand(10, 3)
rotation = rowan.random.rand(1)
translation = np.random.rand(1, 3)
transformed_points = rowan.rotate(rotation, points) + translation

# Recover the rotation and check
q, t = rowan.mapping.davenport(points, transformed_points)

assert np.logical_or(
    np.allclose(rotation, q), np.allclose(rotation, -q))
assert np.allclose(translation, t)
```

rowan.mapping.**procrustes** (*X, Y, method='best', equivalent_quaternions=None*)
Solve the orthogonal Procrustes problem with algorithmic options.

Parameters

- **X** ((N, m) *np.array*) – First set of N points.
- **Y** ((N, m) *np.array*) – Second set of N points.
- **method** (*str*) – A method to use. Options are 'kabsch', 'davenport' and 'horn'. The default is to select the best option ('best').
- **equivalent_quaternions** (*array-like*) – If the precise correspondence is not known, but the points are known to be part of a body with specific symmetries, the set of quaternions generating symmetry-equivalent configurations can be provided. These quaternions will be tested exhaustively to find the smallest symmetry-equivalent rotation.

Returns A tuple (q, t) where q is the quaternion to rotate the points and t is the translation.

Example:

```
import numpy as np

# Create some random points, then make a random transformation of
# these points
points = np.random.rand(10, 3)
rotation = rowan.random.rand(1)
translation = np.random.rand(1, 3)
transformed_points = rowan.rotate(rotation, points) + translation
```

(continues on next page)

(continued from previous page)

```

# Recover the rotation and check
q, t = rowan.mapping.procrustes(
    points, transformed_points, method='horn')

assert np.logical_or(
    np.allclose(rotation, q), np.allclose(rotation, -q))
assert np.allclose(translation, t)

```

`rowan.mapping.icp(X, Y, method='best', unique_match=True, max_iterations=20, tolerance=0.001)`

Find best mapping using the Iterative Closest Point algorithm.

Parameters

- **X** ((N, m) *np.array*) – First set of N points.
- **Y** ((N, m) *np.array*) – Second set of N points.
- **method** (*str*) – A method to use for each alignment. Options are ‘kabsch’, ‘davenport’ and ‘horn’. The default is to select the best option (‘best’).
- **unique_match** (*bool*) – Whether to require nearest neighbors to be unique.
- **max_iterations** (*int*) – Number of iterations to attempt.
- **tolerance** (*float*) – Indicates convergence.

Returns A tuple (R, t) where R is the matrix to rotate the points and t is the translation.

Example:

```

import numpy as np

# Create some random points, then make a random transformation of
# these points
points = np.random.rand(10, 3)

# Only works for small rotations
rotation = rowan.from_axis_angle((1, 0, 0), 0.01)
translation = np.random.rand(1, 3)
transformed_points = rowan.rotate(rotation, points) + translation

# Recover the rotation and check
R, t = rowan.mapping.icp(points, transformed_points)
q = rowan.from_matrix(R)

assert np.logical_or(
    np.allclose(rotation, q), np.allclose(rotation, -q))
assert np.allclose(translation, t)

```

Overview

<code>rowan.random.rand</code>	Generate random rotations that are uniformly distributed on a unit sphere.
<code>rowan.random.random_sample</code>	Generate random rotations uniformly

Details

Various functions for generating random sets of rotation quaternions. Note that if you simply want random quaternions not restricted to $SO(3)$ you can just generate these directly using `np.random.rand(... 4)`. This subpackage is entirely focused on generating rotation quaternions.

`rowan.random.rand(*args)`

Generate random rotations that are uniformly distributed on a unit sphere.

This is a convenience function *a la* `np.random.rand`. If you want a function that takes a tuple as input, use `random_sample()` instead.

Parameters `shape (tuple)` – The shape of the array to generate.

Returns Random quaternions of the shape provided with an additional axis of length 4.

Example:

```
q_rand = rowan.random.rand(3, 3, 2)
```

`rowan.random.random_sample(size=None)`

Generate random rotations uniformly

In general, sampling from the space of all quaternions will not generate uniform rotations. What we want is a distribution that accounts for the density of rotations, *i.e.*, a distribution that is uniform with respect to the appropriate measure. The algorithm used here is detailed in [Shoe92].

Parameters `size (tuple)` – The shape of the array to generate.

Returns Random quaternions of the shape provided with an additional axis of length 4.

Example:

```
q_rand = rowan.random.random_sample((3, 3, 2))
```

7.1 Philosophy

The goal of rowan is to provide a flexible, easy-to-use, and scalable approach to dealing with rotation representations. To ensure maximum flexibility, rowan operates entirely on NumPy arrays, which serve as the *de facto* standard for efficient multi-dimensional arrays in Python. To be available for a wide variety of applications, rowan aims to work for arbitrarily shaped NumPy arrays, mimicking [NumPy broadcasting](#) to the extent possible. Functions for which this broadcasting is not available should be documented as such.

Since rowan is designed to work everywhere, all hard dependencies aside from NumPy are avoided, although soft dependencies for specific functions are allowed. To avoid any dependencies on compilers or other software, all rowan code is written in **pure Python**. This means that while rowan is intended to provide good performance, it may not be the correct choice in cases where performance is critical. The package was written principally for use-cases where quaternion operations are not the primary bottleneck, so it prioritizes portability, maintainability, and flexibility over optimization.

7.1.1 PEP 20

In general, all code in rowan should follow the principles in [PEP 20](#). In particular, prefer simple, explicit code where possible, avoiding unnecessary convolution or complicated code that could be written more simply. Avoid writing code that is not easy to parse up front.

Inline comments are **highly encouraged**; however, code should be written in a way that it could be understood without comments. Comments such as “Set x to 10” are not helpful and simply clutter code. The most useful comments in a package such as rowan are the ones that explain the underlying algorithm rather than the implementations, which should be simple. For example, the comment “compute the spectral decomposition of A” is uninformative, since the code itself should make this obvious, e.g. `np.linalg.eigh`. On the other hand, the comment “the eigenvector corresponding to the largest eigenvalue of the A matrix is the quaternion” is instructive.

7.2 Source Code Conventions

All code in rowan should follow [PEP 8](#) guidelines, which are the *de facto* standard for Python code. In addition, follow the [Google Python Style Guide](#), which is largely a superset of PEP 8. Note that Google has amended their standards to match PEP 8's 4 spaces guideline, so write code accordingly. In particular, write docstrings in the Google style.

Python example:

```
# This is the correct style
def multiply(x, y):
    """Multiply two numbers

    Args:
        x (float): The first number
        y (float): The second number

    Returns:
        The product
    """

# This is the incorrect style
def multiply(x, y):
    """Multiply two numbers

    :param x: The first number
    :type x: float
    :param y: The second number
    :type y: float
    :returns: The product
    :rtype: float
    """
```

Documentation must be included for all files, and is then generated from the docstrings using [sphinx](#).

7.3 Unit Tests

All code should include a set of unit tests which test for correct behavior. All tests should be placed in the `tests` folder at the root of the project. These tests should be as simple as possible, testing a single function each, and they should be kept as short as possible. Tests should also be entirely deterministic: if you are using a random set of objects for testing, they should either be generated once and then stored in the `tests/files` folder, or the random number generator in use should be seeded explicitly (e.g. `numpy.random.seed` or `random.seed`). Tests should be written in the style of the standard Python `unittest` framework. At all times, tests should be executable by simply running `python -m unittest discover tests` from the root of the project.

7.4 General Notes

- For consistency, NumPy should **always** be imported as `np` in code: `import numpy as np`.
- Avoid external dependencies where possible, and avoid introducing **any** hard dependencies. Dependencies other than NumPy should always be soft, enabling the rest of the package to function as-is.

7.5 Release Guide

To make a new release of rowan, follow the following steps:

1. Make a new branch off of develop based on the expected new version, *e.g.* release-2.3.1.
2. Ensure all tests are passing as expected on the new branch. Make any final changes as desired on this branch.
3. Once the branch is completely finalized, run bumpversion with the appropriate type (patch, minor, major) so that the version now matches the version number in the branch name.
4. Once all tests pass on the release branch, merge the branch back into develop.
5. Merge develop into master.
6. Generate new source and binary distributions as described in the Python guide for [Packaging and distributing projects](#).
7. Update the conda recipe.

rowan BSD-3 Clause Open Source Software License

Copyright 2010-2018 The Regents of the University of Michigan
All rights reserved.

rowan may contain modifications ("Contributions") provided, and to which copyright is held, by various Contributors who have granted The Regents of the University of Michigan the right to modify and/or distribute such Contributions.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The format is based on [Keep a Changelog](#). This project adheres to [Semantic Versioning](#).

9.1 Unreleased

9.2 v1.2.0 - 2019-02-12

9.2.1 Changed

- Code is now hosted on GitHub.

9.2.2 Fixed

- Various style issues.

9.3 v1.1.7 - 2019-01-23

9.3.1 Changed

- Stop requiring unit quaternions for rotation and reflection (allows scaling).

9.4 v1.1.6 - 2018-10-18

9.4.1 Fixed

- Fifth try of releasing using CircleCI.

9.5 v1.1.5 - 2018-10-18

9.5.1 Fixed

- Fourth try of releasing using CircleCI.

9.6 v1.1.4 - 2018-10-18

9.6.1 Fixed

- Third try of releasing using CircleCI.

9.7 v1.1.3 - 2018-10-18

9.7.1 Fixed

- Second try of releasing using CircleCI.

9.8 v1.1.2 - 2018-10-18

9.8.1 Fixed

- Fix usage of release tag in CircleCI config.

9.9 v1.1.1 - 2018-10-18

9.9.1 Added

- Automated deployment using CircleCI.
- Added PDF of paper to the repository.

9.9.2 Fixed

- Added missing factor of 2 in angle calculation.
- Fixed issue where method was not respected in rowan.mapping.
- Disabled equivalent quaternion feature and test of rowan.mapping, which has a known bug.
- Added missing negative in failing unit test.

9.10 v1.1.0 - 2018-07-30

9.10.1 Added

- Included benchmarks including comparison to alternatives.
- Installation instructions in the Sphinx documentation.
- More examples for rowan.mapping.

9.10.2 Changed

- All examples in docstrings now use the full paths of subpackages.
- All examples in docstrings import all needed packages aside from rowan.

9.10.3 Fixed

- Instability in vector_vector_rotation for antiparallel vectors.
- Various code style issues.
- Broken example in the Sphinx documentation.

9.11 v1.0.0 - 2018-05-29

9.11.1 Fixed

- Numerous style fixes.
- Fix version numbering in the Changelog.

9.12 v0.6.1 - 2018-04-20

9.12.1 Fixed

- Use of bumpversion and consistent versioning across the package.

9.13 v0.6.0 - 2018-04-20

9.13.1 Added

- Derivatives and integrals of quaternions.
- Point set registration methods and Procrustes analysis.

9.14 v0.5.1 - 2018-04-13

9.14.1 Fixed

- README rendering on PyPI.

9.15 v0.5.0 - 2018-04-12

9.15.1 Added

- Various distance metrics on quaternion space.
- Quaternion interpolation.

9.15.2 Fixed

- Update empty `__all__` variable in geometry to export functions.

9.16 v0.4.4 - 2018-04-10

9.16.1 Added

- Rewrote internals for upload to PyPI.

9.17 v0.4.3 - 2018-04-10

9.17.1 Fixed

- Typos in documentation.

9.18 v0.4.2 - 2018-04-09

9.18.1 Added

- Support for Read The Docs and Codecov.
- Simplify CircleCI testing suite.
- Minor changes to README.
- Properly update this document.

9.19 v0.4.1 - 2018-04-08

9.19.1 Fixed

- Exponential for bases other than e are calculated correctly.

9.20 v0.4.0 - 2018-04-08

9.20.1 Added

- Add functions relating to exponentiation: exp, expb, exp10, log, logb, log10, power.
- Add core comparison functions for equality, closeness, finiteness.

9.21 v0.3.0 - 2018-03-31

9.21.1 Added

- Broadcasting works for all methods.
- Quaternion reflections.
- Random quaternion generation.

9.21.2 Changed

- Converting from Euler now takes alpha, beta, and gamma as separate args.
- Ensure more complete coverage.

9.22 v0.2.0 - 2018-03-08

9.22.1 Added

- Added documentation.
- Add tox support.
- Add support for range of python and numpy versions.
- Add coverage support.

9.22.2 Changed

- Clean up CI.
- Ensure pep8 compliance.

9.23 v0.1.0 - 2018-02-26

9.23.1 Added

- Initial implementation of all functions.

CHAPTER 10

Credits

The following people contributed to the *rowan* package.

Vyas Ramasubramani <vramasub@umich.edu>, University of Michigan - **Lead developer**.

- Initial design.
- Wrote quaternion operations.
- Wrote calculus subpackage.
- Wrote geometry subpackage.
- Wrote interpolate subpackage.
- Wrote mapping subpackage.
- Wrote random subpackage.
- Wrote documentation.

Bradley Dice <bdice@bradleydice.com>, University of Michigan

- Code review.
- JOSS paper review.

11.1 Requirements

The minimum requirements for using rowan are:

- Python = 2.7, >= 3.3
- NumPy >= 1.10

11.2 Installation

The recommended methods for installing rowan are using **pip** or **conda**. To install the package from PyPI, execute:

```
$ pip install rowan --user
```

To install the package from conda, first add the **conda-forge** channel and then install rowan:

```
$ conda config --add channels conda-forge
$ conda install rowan
```

If you wish, you may also install rowan by cloning [the repository](https://github.com/glotzerlab/rowan.git) and running the setup script:

```
$ git clone https://github.com/glotzerlab/rowan.git
$ cd rowan
$ python setup.py install --user
```

11.3 Quickstart

This library can be used to work with quaternions by simply instantiating the appropriate NumPy arrays and passing them to the required functions. For example:

```
import rowan
import numpy as np
one = np.array([10, 0, 0, 0])
one_unit = rowan.normalize(one)
assert(np.all(one_unit == np.array([1, 0, 0, 0])))
if not np.all(one_unit == rowan.multiply(one_unit, one_unit)):
    raise RuntimeError("Multiplication failed!")

one_vec = np.array([1, 0, 0])
rotated_vector = rowan.rotate(one_unit, one_vec)

mat = np.eye(3)
quat_rotate = rowan.from_matrix(mat)
alpha, beta, gamma = rowan.to_euler(quat_rotate)
quat_rotate_returned = rowan.from_euler(alpha, beta, gamma)
identity = rowan.to_matrix(quat_rotate_returned)
```

11.4 Running Tests

The package is currently tested for Python versions 2.7 and Python ≥ 3.3 on Unix-like systems. Continuous integrated testing is performed using CircleCI on these Python versions with NumPy versions 1.10 and above.

To run the packaged unit tests, execute the following line from the root of the repository:

```
python -m unittest discover tests
```

To check test coverage, make sure the coverage module is installed:

```
pip install coverage
```

and then run the packaged unit tests with the coverage module:

```
coverage run -m unittest discover tests
```

11.5 Running Benchmarks

Benchmarks for the package are contained in a Jupyter notebook in the *benchmarks* folder in the root of the repository. If you do not have or do not wish to use the notebook format, an equivalent *Benchmarks.py* script is also included. The benchmarks compare rowan to two alternative packages, so you will need to install *pyquaternion* and *numpy_quaternion* if you wish to see those comparisons.

11.6 Building Documentation

You can also build this documentation from source if you clone the repository. The documentation is written in *reStructuredText* and compiled using *Sphinx*. To build from source, first install *Sphinx*:

```
pip install sphinx sphinx_rtd_theme
```

You can then use *Sphinx* to create the actual documentation in either PDF or HTML form by running the following commands in the rowan root directory:

```
cd doc
make html # For html output
make latexpdf # For a LaTeX compiled PDF file
open build/html/index.html
```


CHAPTER 12

Support and Contribution

This package is hosted on [GitHub](#). Please report any bugs or problems that you find on the [issue tracker](#).

All contributions to rowan are welcomed via pull requests! Please see the [development guide](#) for more information on requirements for new code.

CHAPTER 13

Indices and tables

- `genindex`
- `modindex`
- `search`

Bibliography

- [Itzhack00] Itzhack Y. Bar-Itzhack. “New Method for Extracting the Quaternion from a Rotation Matrix”, *Journal of Guidance, Control, and Dynamics*, Vol. 23, No. 6 (2000), pp. 1085-1087 <https://doi.org/10.2514/2.4654>
- [Huynh09] Huynh DQ (2009) Metrics for 3D rotations: comparison and analysis. *J Math Imaging Vis* 35(2):155-164
- [Shoemake85] Ken Shoemake. Animating rotation with quaternion curves. *SIGGRAPH Comput. Graph.*, 19(3):245-254, July 1985.
- [Shoe92] Shoemake, K.: Uniform random rotations. In: D. Kirk, editor, *Graphics Gems III*, pages 124-132. Academic, New York, 1992.

r

rowan, 4
rowan.calculus, 13
rowan.geometry, 15
rowan.interpolate, 19
rowan.mapping, 21
rowan.random, 25

A

allclose() (in module rowan), 4
angle() (in module rowan.geometry), 18

C

conjugate() (in module rowan), 4

D

davenport() (in module rowan.mapping), 22
derivative() (in module rowan.calculus), 13
distance() (in module rowan.geometry), 15
divide() (in module rowan), 4

E

equal() (in module rowan), 5
exp() (in module rowan), 5
exp10() (in module rowan), 5
expb() (in module rowan), 5

F

from_axis_angle() (in module rowan), 6
from_euler() (in module rowan), 6
from_matrix() (in module rowan), 6
from_mirror_plane() (in module rowan), 7

I

icp() (in module rowan.mapping), 24
integrate() (in module rowan.calculus), 13
intrinsic_distance() (in module rowan.geometry), 17
inverse() (in module rowan), 7
is_unit() (in module rowan), 8
isclose() (in module rowan), 7
isfinite() (in module rowan), 8
isinf() (in module rowan), 7
isnan() (in module rowan), 8

K

kabsch() (in module rowan.mapping), 22

L

log() (in module rowan), 8
log10() (in module rowan), 9
logb() (in module rowan), 9

M

multiply() (in module rowan), 9

N

norm() (in module rowan), 9
normalize() (in module rowan), 10
not_equal() (in module rowan), 10

P

power() (in module rowan), 10
procrustes() (in module rowan.mapping), 23

R

rand() (in module rowan.random), 25
random_sample() (in module rowan.random), 25
reflect() (in module rowan), 10
riemann_exp_map() (in module rowan.geometry), 16
riemann_log_map() (in module rowan.geometry), 16
rotate() (in module rowan), 11
rowan (module), 4
rowan.calculus (module), 13
rowan.geometry (module), 15
rowan.interpolate (module), 19
rowan.mapping (module), 21
rowan.random (module), 25

S

slerp() (in module rowan.interpolate), 19
slerp_prime() (in module rowan.interpolate), 20
squad() (in module rowan.interpolate), 20
sym_distance() (in module rowan.geometry), 16
sym_intrinsic_distance() (in module rowan.geometry), 17

T

`to_axis_angle()` (in module rowan), 11

`to_euler()` (in module rowan), 11

`to_matrix()` (in module rowan), 12

V

`vector_vector_rotation()` (in module rowan), 12